


EAGLE PART NUMBER	DESCRIPTION	MANUFACTURER	MINIMUM RATED TEMPERATURE	MAXIMUM PRESSURE
E4619-1	BLEED AIR LINE	AERO-FLEX	800°F	180 PSI

Ì	NOTES: 1) MATERIAL: SEE TABLE
	2) FINISH: N/A
	3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED 4) UNITS: INCHES UNLESS OTHERWISE NOTED
l	5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX 6) IDENTIFICATION: IDENTIFY WITH EAGLE PART NUMBER USING STANDARD AERO-FLEX TAGGING
	7) WEIGHT: 0.32 lbs


Α	NEW IS	SUE		A 5	12.12.03		
REV.	REV. DESCRIPTION		BY	DATE			
DESIGN	١	45	EAGLE COPTERS LTD				
DRAWN		35		CALGARY, ALBERTA, CANADA			
CHECKED 2		7	DRAWING NO.		REV. A		
MFG. A	PPR.	N/A	E4619		SHEET 1 OF 10		
APPRO	VED	-#-	TITLE		SCALE		
DE APF	PR.	-12	FLEX LINE		NTS		
DATE 12.12.03			COPYRIGHT © 2012 BY EAGLE COPTERS LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WAITTEN PERMISSION FROM EAGLE COPTERS LTD.				



EAGLE PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	SPECIFICATION	CONTSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	CONSTRUCTION COVER
E4619-3	OIL VENT LINE	STRATOFLEX	101005-8CR-0406	SAE AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE

NOTES:
1) MATERIAL: SEE TABLE
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 0.62 lbs


DESIGN	A	EAGLE CO	PTERS LTD
DRAWN	A.	CALGARY, ALBER	RTA, CANADA
CHECKED	12	DRAWING NO.	REV. A
MFG. APPR.	N/A	E4619	SHEET 2 OF 10
APPROVED	#	TITLE	SCALE
DE APPR.	· M -	FLEX LINE	NTS
DATE 12.12.03		COPYRIGHT © 2012 BY EAGLE COPTERS LTD THIS DOCUMENT IS PROVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM EAGLE COPTERS LTD.	



ļ	EAGLE PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	SPECIFICATION	CONTSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	CONSTRUCTION COVER
	E4619-5	FUEL LINE AIRFRAME FILTER TO ENGINE	STRATOFLEX	101001-6CR-0121	SAE AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE

NOTES:
1) MATERIAL: SEE TABLE
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 0.12 lbs


DESIGN	45	EAGLE COPTERS LTD	
DRAWN	3 15.	CALGARY, ALBER	RTA, CANADA
CHECKED	7	DRAWING NO.	REV. A
MFG. APPR.	N/A	E4619	SHEET 3 OF 10
APPROVED	1	TITLE	SCALE
DE APPR.	#	FLEX LINE	NTS
DATE 12.12.03		COPYRIGHT © 2012 BY EAGLE COPTERS LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION PROM EAGLE COPTERS LTD.	



EAGLE PART NUMBER			MANUFACTURER PART NUMBER	SPECIFICATION	CONTSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	CONSTRUCTION COVER
E4619-7	FUEL LINE FUEL SHUTOFF TO AIRFRAME FILTER	STRATOFLEX	101005-6CR-0166	SAE AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE

NOTES:
1) MATERIAL: SEE TABLE
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 0.20 lbs


DESIGN	ALS	EAGLE COPTERS LTD		
DRAWN	45	CALGARY, ALBERT		
CHECKED	*	DRAWING NO.	REV. A	
MFG. APPR.	N/A,	E4619	SHEET 4 OF 10	
APPROVED		TITLE	SCALE	
DE APPR.	-4-	FLEX LINE	NTS	
DATE 12.12.03		COPYRIGHT @ 2012 BY EAGLE COPTERS LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION PROME AGUE COPTERS LTD.		




Î	EAGLE PART NUMBER	DESCRIPTION	MANUFACTURER	PART NUMBER	SPECIFICATION	TYPE	REINFORCEMENT	COVER
	E4619-9	DRAIN LINE	STRATOFLEX	101062B0083C045	SAE AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE

NOTES:
1) MATERIAL: SEE TABLE
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 0.07 lbs

DESIGN	85	EAGLE COPTERS LTD	
DRAWN	85	CALGARY, ALBERT	ΓA, CANADA
CHECKED	7	DRAWING NO.	REV. A
MFG. APPR.	N/A	E4619	SHEET 5 OF 10
APPROVED	-#-	TITLE	SCALE
DE APPR.	-AI-	FLEX LINE	NTS
DATE 12.12.03		COPYRIGHT © 2012 BY FAGLE COPTERS LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WITTEN PERMISON PROM FAGLE COPTERS LTD.	






NOTES:

1) MATERIAL: SEE TABLE
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDEALTER ATION: IDEALTEST PER QSI 044 6 1


6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1 7) WEIGHT: 1.01 lbs


DESIGN	85	EAGLE COPTERS LTD		
DRAWN	35	CALGARY, ALBERTA	A, CANADA	
CHECKED	7	DRAWING NO.	REV. A	
MFG. APPR.	N/A	E4619	SHEET 7 OF 10	
APPROVED	#.	TITLE	SCALE	
DE APPR.	7#	FLEX LINE	NTS	
DATE 12.12.03		THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE LIBER DED AND REPORTED OF CONFIDENCE COMMUNICATION OF ANY COUNTY DESCRIPTION.		

WRITTEN PERMISSION FROM EAGLE COPTERS LTD.



WRITTEN PERMISSION FROM EAGLE COPTERS LTD.





- 5.00 -

EAGLE PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	SPECIFICATION	CONTSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	CONSTRUCTION COVER
E4619-19	OIL LINE	STRATOFLEX	101001-10CR0050	SAE AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE

NOTES:
1) MATERIAL: SEE TABLE
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 0.15 lbs

DESIGN	A.	EAGLE COP	TERS LTD	
DRAWN	8 S	CALGARY, ALBERTA, CANADA		
CHECKED	7	DRAWING NO.	REV. A	
MFG. APPR.	N/A	E4619	SHEET 10 OF 10	
APPROVED	-	TITLE	SCALE	
DE APPR.	-#-	FLEX LINE	NTS	
DATE 12.1	2.03	COPYRIGHT © 2012 BY EAGLE COPTERS LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATION TO ANY OTHER PERSON WITHOUT		